

# Understanding Compliance Schedules

Pat Hallinan Water Quality Program

**Effectiveness** Compliance **Narrative** Monitoring Monitoring Limits? with Method Compliance with Method 1668 Schedule? 608 Compliance Source Monitoring Reduction/ No with Method **Participation End-of-Pipe** Compliance 1668? in SRRTTF Limits? Schedule?

**Effectiveness** Narrative Compliance Monitoring Limits? Monitoring with Method Compliance with Method 1668 Schedule 608 Compliance Source Monitoring Reduction/ No with Method **Participation End-of-Pipe** Compliance 1668? in SRRTTF Limits Schedule

**Effectiveness** Narrative Compliance Monitoring Limits? Monitoring with Method Compliance with Method 1668 Schedule 608 Compliance Source Monitoring Reduction/ No with Method **Participation End-of-Pipe** Compliance 1668? in SRRTTF Limits Schedule

**Effectiveness** Narrative Compliance Monitoring Limits? Monitoring with Method Compliance with Method 1668 Schedule 608 Compliance Source Monitoring Reduction/ No with Method **Participation End-of-Pipe** Compliance 1668? in SRRTTF Limits Schedule

#### What is a Compliance Schedule?

 Clean Water Act, Section 502, General Definitions:

"Schedule of Compliance" means a schedule of remedial measures including an enforceable sequence of actions or operations leading to compliance with an effluent limitation, other limitation, prohibition, or standard



# Compliance Schedule Principles Water Quality Based Effluent Limits

EPA Guidance:

https://www3.epa.gov/npdes/pubs/memo\_complianceschedules\_may07.pdf


Includes list of eleven (11)
 principles in developing
 compliance schedules to meet
 water quality based effluent limits



# Permitting Option No Compliance Schedule:


- WQ based end-of-pipe limit (7 pg/L)
- Compliance testing using EPA Method 608
- Elevated method detection level pg/L doesn't show non-compliance
- We considered the option of not setting a compliance schedule





NOTE: values are for illustrative purposes only

#### "Quick and Defensible" = Traditional permitting approach



NOTE: values are for illustrative purposes only

# Permitting Option Compliance Schedule:

- WQ based end-of-pipe limit (7 pg/L)
- Set a compliance date to meet end-of-pipe limit




# Compliance Schedule Principles from EPA Guidance

Ecology must make a reasonable finding that:

- 1. Compliance with the limitation is required "as soon as possible"
- 2. Schedule will lead to compliance with the effluent limitation



#### "Manage the end point" = compliance schedule



NOTE: values are for illustrative purposes only

### Antibacksliding Issues

- The Clean Water Act prohibits the re-issuance of permit with less stringent limitations
  - -However, there are exceptions!
- Could we backslide on permit limits/compliance schedules in future permit renewals?

